

MLG SERIES

Single-Phase Mobile Diesel Generators

GENERAC[®]

MAGNUM



MLG SERIES

MOBILE DIESEL GENERATORS

Generac Magnum MLG series mobile diesel generators offer reliable single-phase power for smaller-scale applications, including power for job trailers, construction crews and special events. MLG generators give you Final Tier 4 power you can trust, while maximizing fuel efficiency and performance. MLG series generators are ideal for smaller jobs, and minimize the occurrence of light loading and wet stacking.



For customers in California, the brake horsepower of all Generac Magnum MLG series generators fall below the regulated threshold of 49bhp and are exempt from California's Portable Equipment Registration Program (PERP).

OPTIONS

- Choice of Outlet Receptacles
- Quiet Package
- 720 CCA Gel Cell Battery
- Battery Charger
- Battery Disconnect
- Cold Weather Package
- Central Lift Point
- Combo Hitch – 2.5" Ring / 2" Ball
- Pintle Ring Hitch 2.5" or 3" Ring



SPECIFICATIONS

Additional options available

	MLG8K	MLG15M	MLG20IF4
Output			
	USA (METRIC)		
1 Phase - Standby (kW/kVA)	9 / 9	14 / 14	20 / 20
Amps (240V)	37	58	83
1 Phase - Prime (kW/kVA)	8.1 / 8.1	13 / 13	19 / 19
Amps	33	54	79
AC Voltage 1-phase	120, 240		
Frequency Hz	60		
Power Factor	1.0 (1Ø)		
Generator (Brand/Type/Insulation)	Marathon/Brushless/F		
Sound (dB(A) 23 Feet @ prime)	70	68	70
CSA Listed	Yes	Yes	Yes
Size and Weight			
Trailer Mounted (l x w x h) in (m)	105 x 68 x 56 (2.67 x 1.73 x 1.42)	105 x 68 x 56 (2.67 x 1.73 x 1.42)	105 x 68 x 56 (2.67 x 1.73 x 1.42)
Dry Weight lb (kg)	1030 (467)	1425 (646)	1471 (667)
Operating Weight lb (kg)	1250 (567)	1823 (827)	1761 (799)
Engine			
	Final Tier 4	Final Tier 4	Final Tier 4
Brand	Kubota	Mitsubishi	Isuzu
Model #	D1105-E3BG	S4L2-W461ML	4LE2TAGV-03
Aspiration	Natural	Natural	Turbo
HP (prime @ 1800rpm) (kW)	13.5 (10.1)	22.3 (16.6)	36.2 (27.0)
Displacement in3 (L)	68.53 (1.12)	107 (1.8)	133 (2.18)
Cylinders	3	4	4
Speed (rpm)	1800	1800	1800
Fuel Consumed prime gph (Lph)	0.70 (2.65)	1.3 (4.92)	2.1 (7.8)
Battery (12 volt)	1-12V / 440 CCA	1-12V / 440 CCA	1-12V / 720 CCA
Capacities			
Fuel Tank gal (L)	56 (212)	56 (212)	50 (190)
Approximate Run Time hrs	80	43	24
AC Distribution			
Main Breaker	40	70	100
Voltage Regulation	+/-1%	+/-1%	+/-1%
120V - 20 amp GFCI Duplex	2	2	2
240V - 30 amp Twist Lock	1	2	2
240V - 50 amp Twist Lock	--	2	2
Trailer			
# of Axles & Capacity lbs (kg)	1-2200 (998)	1-2200 (998)	1-2200 (998)
Tire Size (in)	13	15	15
Hitch – Standard	2" Ball	2" Ball	2" Ball

Looking for more power solutions?

Generac Mobile Products offers a wide range of mobile, containerized and portable generators, including gaseous generators. Visit GeneracMobileProducts.com.

24/7 • 365 Nationwide Service Support Network;

because when you're on the job, we're on the job.



**Assembled & Built
in the USA**